


FIG. 1



REVIEWS		
REV	DESCRIPTION	DATE
REV ALPHA		




Fig 3B






Fig 3A


NOTES:
 1. APPLY ITEM'S ADHESIVE TAPE TO BOTTOM SURFACE OF BATTERY PACK. ADHESIVE TO HAVE REMOVABLE PROTECTIVE LINER. LINER TO EXTEND PAST THE EDGE OF THE ADHESIVE BY 0.12 IN MIN. ALONG AT LEAST ONE FULL EDGE TO ALLOW FOR EASY RELEASE OF THE LINER.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PERMITS. IT IS TO BE USED FOR THE PURPOSES SPECIFIED IN THE LICENSE. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM PERMITS.



BLACKWOLF SUA750








Fig. 6

Sheet 6 of 7
 Inventor: Perry
 Filed: HEREWITH, September 4, 2003
 Title: SYSTEM FOR REPLACING A BATTERY PACK
 Mintz, Levin, Cohn, Ferris, Glovsky & Popeo
 Telephone: (617) 542-6000